

VERTIKALSKÆREMASKINE VERDI TWIN



TECHNICAL SHEET



VERTIKALSKÆREMASKINE VERDI TWIN

TECHNICAL SHEET

Technical Data	728550 / Twin 122	728551 / Twin 157	728552 / Twin 244	728553 / Twin 305
Saw operation	Manual	Manual	Electronic	Electronic
Blade Operation	Pneumatic	Pneumatic	Pneumatic	Pneumatic
Speed head control	No	No	Yes	Yes
Saw blade	250x30 mm/80 teeth	250x30 mm/80 teeth	250x30 mm/80 teeth	250x30 mm/80 teeth
Cutting max height	122 cm	157 cm	244 cm	305 cm
Thicknesses allowed				
Rigid / semi-rigid / glass	22 / 22 / 1,5-3 mm	22 / 22 / 1,5-3 mm	22 / 22 / 1,5-3 mm	22 / 22 / 1,5-3 mm
Engine power	1,5 hp	1,5 hp	1,5 hp	1,5 hp
Engine speed	2700 RPM	2700 RPM	2700 RPM	2700 RPM
Voltage	220 V / 110 V	220 V / 110 V	220 V / 110 V	220 V / 110 V
Dimensions	212H x 250 x 50 cm	242H x 250 x 50 cm	345H x 250 x 50 cm	395H x 250 x 50 cm
Weight	138 Kg / 304 lb	161 Kg / 355 lb	203 Kg / 448 lb	233 Kg / 514 lb
Shipping dimensions A	260H x 70 x 62 cm	260H x 70 x 62 cm	410H x 70 x 62 cm	410H x 70 x 62 cm
Shipping dimensions B	161H x 131 x 13 cm	195H x 131 x 13 cm	280H x 131 x 13 cm	195H x 131 x 13 cm
Shipping dimensions C	92H x 58 x 58 cm	92H x 58 x 58 cm	92H x 58 x 58 cm	92H x 58 x 58 cm

Accessories	728550 / Twin 122	728551 / Twin 157	728552 / Twin 244	728553 / Twin 305
1 m arm extension	14 20 02	14 20 02	14 20 02	14 20 02
Laser	14 20 04	14 20 04	14 20 04	14 20 04
Extra measure tab	45 11 11	45 11 11	45 11 11	45 11 11
Dust collector 2 hp (included)	02 12 06	02 12 06	02 12 06	02 12 06
Saw blade universal	14 03 70	14 03 70	14 03 70	14 03 70
Saw blade for plastic	14 03 60	14 03 60	14 03 60	14 03 60
Saw blade for aluminium	14 03 22	14 03 22	14 03 22	14 03 22
Saw blade for wood	14 03 30	14 03 70	14 03 70	14 03 70
Cutting head for glass	45 17 80	45 17 80	45 17 80	45 17 80
Cutting wheels for glass	13 03 00	13 03 00	13 03 00	13 03 00



VERTIKALSKÆREMASKINE VERDI TWIN

TECHNICAL SHEET

Technical Data	728510 / Basic 122	728515 / Basic 157	728530 / Basic 244	728540 / Basic 305
Saw operation	Manual	Manual	Electronic	Electronic
Speed head control	No	No	Yes	Yes
Saw blade	250x30 mm/80 teeth	250x30 mm/80 teeth	250x30 mm/80 teeth	250x30 mm/80 teeth
Cutting max height	122 cm	157 cm	244 cm	305 cm
Thicknesses allowed				
Rigid	22 mm	22 mm	22 mm	22 mm
Engine power	1,5 hp	1,5 hp	1,5 hp	1,5 hp
Engine speed	2700 RPM	2700 RPM	2700 RPM	2700 RPM
Voltage	220 V / 110 V	220 V / 110 V	220 V / 110 V	220 V / 110 V
Dimensions	212H x 250 x 50 cm	242H x 250 x 50 cm	345H x 250 x 50 cm	395H x 250 x 50 cm
Weight	125 Kg / 276 lb	145 Kg / 320 lb	178 Kg / 393 lb	205 Kg / 452 lb
Shipping dimensions A	260H x 70 x 62 cm	260H x 70 x 62 cm	410H x 70 x 62 cm	410H x 70 x 62 cm
Shipping dimensions B	161H x 131 x 13 cm	195H x 131 x 13 cm	280H x 131 x 13 cm	195H x 131 x 13 cm
Shipping dimensions B	161H x 131 x 13 cm	195H x 131 x 13 cm	280H x 131 x 13 cm	195H x 131 x 13 cm

Accessories	728510 / Basic 122	728515 / Basic 157	728530 / Basic 244	728540 / Basic 305
Pneumatic cutter	72 85 11	72 85 16	72 85 31	72 85 41
1 m arm extension	14 20 02	14 20 02	14 20 02	14 20 02
Laser	14 20 04	14 20 04	14 20 04	14 20 04
Extra measure tab	45 11 11	45 11 11	45 11 11	45 11 11
Dust collector 2 hp	02 12 06	02 12 06	02 12 06	02 12 06
Saw blade universal	14 03 70	14 03 70	14 03 70	14 03 70
Saw blade for plastic	14 03 60	14 03 60	14 03 60	14 03 60
Saw blade for aluminium	14 03 22	14 03 22	14 03 22	14 03 22
Saw blade for wood	14 03 30	14 03 30	14 03 30	14 03 30
Blades for pneumatic cutter	13 04 15	13 04 15	13 04 15	13 04 15
Cutting head for glass	45 17 80	45 17 80	45 17 80	45 17 80
Cutting wheels for glass	13 03 00	13 03 00	13 03 00	13 03 00

